

WAYCHAMP ELECTRONIC PROTECTIVE DEVICE (PROFESSIONAL EDITION)

Production	Picture	Unit	Count	Introduction	Size
Electronic trunk protectors		pair	1	The inner lining adopts the hardness 70EVA materials with high service life, and he highpressure sensing adopts the piezoelectrc cable for accuracy. Size:1#;2#;3#;4#;5#	1#:L*W*T 80x75x2cm 2#:L*W*T 86x80x2cm 3#:L*W*T 91x85x2cm 4#:L*W*T 94x88x2cm 5#:L*W*T 101x90x2cm
Electronic head protectors		pair	1	The PU hanging coating process is adopted to improve the abrasion resistance and corrosion resistance and precisely collect and distinguish the power generation and homeopathic conductivity Size:S/M/L/XL	S: L*W*H 20x16x26cm M: L*W*H 23x16x29cm L: L*W*H 23x18x29cm XL: L*W*H 24x20x30cm
Receiver		pcs	1	The most advanced ICT technology is adopted for simultaneous information and receiving information. Processing and information transmission function	L*W*T 10.4x10.4x2cm
Transmitter	TO TO THE STATE OF	set	1	The ZIGBEE networking mode is adopted for stable signal transmission The fullfrequency is divded into 16 channels to support the simultaneous transport of multiple sites The 1000mAH battery is adopted to achieve the continuous working time of 8 hours one set include four pcs	L*W*T 6X3.8X2cm
Electronic foot protectors		pair	1	The surface adopts the EVA covered the PU materials to improve the durability and protection 11 points can be used Size: XS/S/M/L/XL/2XL/3XL/4XL	XS: L*W 23X10cm S: L*W 24X11cm M: L*W 25X11cm L: L*W 26X11cm XL: L*W 27X11cm 2XL: L*W 28X12cm 3XL: L*W 29X12cm 4XL: L*W 30X13cm
Charge	9639=	pcs	1		L: 1m
Joysticks		set	1	It adopts the ergonomic design, with comfortable sense of grip and rational key layout. Concealed display screen Its running hours surpass 12 hours Dual uses for competitive goods and potential items one set include three pcs	L*W*T 16x9x2.5cm
Detection card of foot cover	WAYGHAMP	pcs	1	Special double layer film contains the movable iron powder.	L*W 13x7.5cm



WAYCHAMP ELECTRONIC PROTECTIVE DEVICE (SEMI-PROFESSION EDITION)

Production	Picture	Unit	Count	Introduction	Size	
Electronic trunk protectors	Ficure	pair	1	Continuous uptime interval s within 500ms Highsensitivity pressure sensing module Effective sensing impact force value Micro USB charging interface Applicable to daily training of club Size:0#, 1#, 2#, 3#, 4#, 5#	0#: L*W*T 75x70x2cm 1#: L*W*T 80x75x2cm 2#: L*W*T 86x80x2cm 3#: L*W*T 91x85x2cm 4#: L*W*T 94x88x2cm 5#: L*W*T 101x90x2cm	
Electronic head protectors		pair	1	Continuous uptime interval is within 500ms High- sensitvity pressure sensing module Effective sensing impact force value Micro USB charging nterface Applicable to daily training of club Size:XS/S/M/L/XL	XS: L*W*H 20x14x26cm S: L*W*H 20x16x26cm M: L*W*H 23x16x29cm L: L*W*H 23x18x29cm XL: L*W*H 24x20x30cm	
Receiver		pcs	1	MicroUSB interface Wireless communication distance reaches 100m It at most supports 15 groups of equipment connection	L*W*T 10.4x10.4x2cm	
Transmitter	TO THE STATE OF TH	set	1	The fullfrequency is divded into 16 channels to support the simultaneous transport of multiple sites The 1000mAH battery is adopted to achieve the continuous working time of 8 hours one set include four pcs	L*W*T 6X3.8X2cm	
Electronic foot protectors	55-	pair	1	Intelligent foot protector contains 4 sensing chips Rotation and other technologies can be used for recognition scoring. Size:XXS/XS/S/M/L/XL/XXL	XXS: L*W 21X11cm XS: L*W 22X11cm S: L*W 24X11.5cm M: L*W 25X12cm L: L*W 27X12.5cm XL: L*W 30X13cm XXL: L*W 32X13cm	
Charger	9 & 3 7 =	pcs	1		L: 1m	
CHOICE						
Joysticks	00000	pcs	1	Dual uses for competitive goods and potential items Independent setting of Poomsae and Kyorugi L*W*T 16x9x2.5c		
Intelligent scanner	-1	pcs	1	Special for detection of foot cover chip L*W*T 27x11x2cm		



WAYCHAMP ELECTRONIC PROTECTIVE DEVICE (BLUETOOTH EDITION)

Production	Picture	Unit	Count	Introduction	Size
Electronic trunk protectors	WITPAMP WITPAMP	pair	1	Continuous uptime interval is within 500ms High-sensitivity pressure sensing module Effective sensing impact force value Micro USB charging interface Fast and convenient intelligent interconnection of mobile phone Size:0#, 1#, 2#, 3#, 4#, 5#	0#: L*W*T 75x70x2cm 1#: L*W*T 80x75x2cm 2#: L*W*T 86x80x2cm 3#: L*W*T 91x85x2cm 4#: L*W*T 94x88x2cm 5#: L*W*T 101x90x2cm
Electronic head protectors		pair	1	Continuous uptime interval is within 500ms High-sensitivity pressure sensing module Effective sensing impact force value Micro USB charging interface Fast and convenient intelligent interconnection of mobile phone It includes a built-in transmitter Size:XS/S/M/L/XL	XS: L*W*H 20x14x26cm S: L*W*H 20x16x26cm M: L*W*H 23x16x29cm L: L*W*H 23x18x29cm XL: L*W*H 24x20x30cm
Receiver	WITCHARD	pcs	1	MicroUSB interface Wireless communication distance reaches 100m It at most supports 15 groups of equipment connection Fast and convenient intelligent interconnection of mobile phone	L*W*T 10.4x10.4x2cm
Electronic foot protectors	MCDAP WCDAP	pair	1	Intelligent foot protector contains 4 sensing chips Rotation and other technologies can be used for recognition scoring. Size:XXS/XS/S/M/L/XL/XXL	XXS: L*W 21X11cm XS: L*W 22X11cm S: L*W 24X11.5cm M: L*W 25X12cm L: L*W 27X12.5cm XL: L*W 30X13cm XXL: L*W 32X13cm
Charger		pcs	1		L: 1m